Metal 3D Printing Leader



Aluminum-based alloy AISi10Mg

Aluminum alloy is the most widely used class of non-ferrous metal structure materials in the industry. The models printed has low density but relatively high strength which is close to or beyond high-quality steel and good plastic.

Cat liter





I Advantage

- > Build parts offers excellent mechanical properties, such as hardness and tensile strength
- > Outstanding corrosion resistance
- > Good thermal and electrical conductivity
- > High dynamic toughness

Ideal Applications

- > Functional parts in automotive industries
- > Light weight structural geometries for aerospace
- > Thermal applications such as heat exchangers
- > Robotics & engineering

Powder composition / percent by mass

Si	Fe	Cu	Mn	Mg	Ni	Zn	Pb	Sn	Ti	AI
9.0-11.0	0.55	0.05	0.45	0.2-0.45	0.05	0.1	0.05	0.05	0.15	Balance

Technical Datasheet

General Properties	Density ISO3369	≥2.65 g/cm³		
Machanical Properties	Tensile Strength ISO6892-1	≥430 MPa		
Mechanical Properties (As built)	Yield Strength ISO6892-1	≥250 MPa		
	Elongation after Fracture ISO6892-1	≥5 %		
	Vickers hardness ISO6507-1	≥120 HV5/15		
	Thermal conductivity at 20 °C	98W/mK-108W/mK		
	Surface roughness Ra Z	6-10µm		
	Tensile Strength ISO6892-1	≥300 MPa		
Mechanical Properties (Heat treated)	Yield Strength ISO6892-1	≥200 MPa		
(Elongation after Fracture ISO6892-1	≥10 %		
	Vickers hardness ISO6507-1	≥70 HV5/15		
	Hardness (HRC) ISO6507-1	≥50		
	Thermal conductivity at 20 °C	163W/mK-183W/mK		

Shenzhen KINGS 3D Printing Technology Co., Ltd.

Floor 14, Building 3A, Yunzhi Science Park, Shuangming Road South, Guangming Street, Guangming District, Shenzhen, Guangdong Province, CHINA, 518107



www.kings3dprinter.com